

AGENTS FOR HARVEY W. PEACE'S
WARRANTED
CAST STEEL VULCAN SAWS.



Terms of Warranty.

Each Saw is warranted free from seams or flaws, and as true as possible. Any Saw found defective in either of the above particulars, if returned within a reasonable time, will be made good, or a new one given in its place. The greatest care is taken that every Saw shall be true and of even temper. A Circular Saw is sometimes condemned when the fault rests with the Mandrel upon which it is run.

Alterations made in the Mandrel or pin-holes of Circular Saws, either by filing or reaming, will almost invariably spring the plate, and render it unfit for use. When this alteration is made, the Saw will not be subject to the above warranty.

In ordering Circular Saws, specify Cross-Cut or Rip, Diameter of Saw Gauge (or thickness), size of Holes, number of Teeth (or space between Teeth), Log Side (right or left hand), when standing with Saw cutting towards you; also the general kind of lumber to be cut.

Warranted Ex. C. S. Circular Saws, Pat. Ground.**Stamped Harvey W. Peace.**

4 In. Diam. all Gauges to 19, each, \$1 00, each add'l Gauge, \$0 08 Net						
5	"	"	19,	1 25,	"	0 10 "
6	"	"	18,	1 50,	"	0 12 "
7	"	"	18,	1 80,	"	0 14 "
8	"	"	18,	2 00,	"	0 16 "
9	"	"	17,	2 45,	"	0 20 "
10	"	"	16,	2 80,	"	0 22 "
12	"	"	15,	3 50,	"	0 28 "
14	"	"	15,	4 10,	"	0 34 "
16	"	"	14,	4 90,	"	0 40 "
18	"	"	13,	6 20,	"	0 50 "
20	"	"	13,	7 75,	"	0 60 "
22	"	"	12,	9 80,	"	0 70 "
24	"	"	11,	11 75,	"	0 80 "
26	"	"	11,	13 50,	"	0 94 "
28	"	"	10,	15 75,	"	1 10 "
30	"	"	10,	18 00,	"	1 26 "
32	"	"	10,	20 70,	"	1 46 "
34	"	"	9,	24 50,	"	1 74 "
36	"	"	9,	28 80,	"	2 00 "
38	"	"	8,	35 00,	"	2 50 "
40	"	"	8,	42 40,	"	3 00 "
42	"	"	8,	52 20,	"	3 60 "
44	"	"	7,	61 20,	"	4 30 "
46	"	"	7,	72 00,	"	5 00 "
48	"	"	7,	75 50,	"	6 00 "
50	"	"	6,	90 00,	"	7 00 "
52	"	"	6,	105 30,	"	8 40 "
54	"	"	5,	126 00,	"	10 00 "
56	"	"	5,	153 00,	"	12 50 "
58	"	"	4,	184 50,	"	14 50 "
60	"	"	4,	220 50,	"	17 50 "
62	"	"	4,	256 50,	"	20 00 "
64	"	"	4,	297 00,	"	23 00 "
66	"	"	3,	337 50,	"	25 50 "
68	"	"	3,	383 00,	"	28 50 "
70	"	"	3,	427 00,	"	31 00 "
72	"	"	3,	473 00,	"	33 50 "

For size of holes in Circular Saws see list of Mandrels. Circular Saws made concave, double price. Circular Saws for Metal and Ivory, double Price.

Top Circular Saws for Double Mills.

Inch,	24	26	28	30	32	34	36
Each,	\$15.50	18.00	20.00	22.50	26.00	29.00	34.50

Shingle Saws, Tapered to 14 or 15 Gauge.

Inch,	30	32	34	36	38	40	42	44
Each,	\$22.50	27.00	32.50	37.80	43.20	54.00	67.50	81.00

Prices for Taper or Bevel Grinding

Harvey W. Peace's Extra Cast Steel Circular Saws.

Inch,	12	14	16	18	20	22	24	26
Per gauge net,	\$0.50	.60	.70	.80	.90	1.00	1.20	1.40
Inch,	28	30	32	34	36	38	40	42
Per gauge net,	\$1.60	1.80	2.00	2.20	2.40	2.60	3.00	3.50
Inch,	44	46	48	50	52	54	56	58
Per gauge net,	\$3.70	3.80	4.00	4.20	4.30	4.50	4.70	4.80
Inch,	60	62	64	66	68	70	72	
Per gauge net,	\$5.00	5.20	5.40	5.50	5.70	5.90	6.00	

Circular Saw Mandrels.

With Pulleys, Babbit Metal Boxes, and Bolts complete,
Stamped Harvey W. Peace.

No. 1,	$\frac{1}{2}$ in.	Hole, Saw 4 to 5 in.,	Mandrel 16 in. long,	each,	\$11 50
No. 2,	$\frac{3}{4}$	" " 6	" " 17	" "	13 25
No. 3,	$\frac{7}{8}$	" " 7 to 9	" " 18	" "	15 75
No. 4,	1	" " 10 to 12	" " 20	" "	18 25
No. 5,	$1\frac{1}{8}$	" " 14	" " 22	" "	19 25
No. 6,	$1\frac{1}{4}$	" " 16 to 18	" " 24	" "	20 00
No. 7,	$1\frac{3}{8}$	" " 20 to 22	" " 26	" "	20 50
No. 8,	$1\frac{1}{2}$	" " 24	" " 28	" "	23 50
No. 9,	$1\frac{5}{8}$	" " 26 to 30	" " 32	" "	24 50
No. 10,	$1\frac{3}{4}$	" " 32 to 36	" " 36	" "	28 00

Larger sizes made to order. In ordering Mandrels, please state the exact size of hole in saw.

No. 1—Harvey W. Peace's Extra Tempered Cast Steel Mill and Gang Saws.



Gauge,	5	6	7	8	9	10 to 14
Per foot,	\$1.57	1.36	1.31	1.25	1.23	1.20

No. 2—Harvey W. Peace's Cast Steel Mill and Gang Saws.

Gauge,	5	6	7	8	9	10 to 14
Per foot,	\$1.37	1.16	1.11	1.05	1.03	1.00



No. 1—Harvey W. Peace's Extra Tempered Cast Steel Mulay Mill Saws.



Gauge,		4	5	6	7	8
10 inch wide, per foot,		\$2.00	1.93	1.72	1.61	1.51
11 " " "		2.40	2.30	2.00	1.88	1.82
12 " " "		2.58	2.45	2.11	2.00	1.93

No. 2—Harvey W. Peace's C. S. Mulay Mill Saws.

Gauge,		4	5	6	7	8
10 inch wide, per foot,		\$1.74	1.68	1.47	1.36	1.26
11 " " "		2.15	2.06	1.75	1.63	1.57
12 " " "		2.33	2.20	1.86	1.75	1.68

Warranted Extra Cast Steel Butting or Drag Saws.

Stamped Harvey W. Peace.



Mill Saw Size.

Mill Saws.

5 foot	Mill Saw,	8 inches	wide,	-	-	-	each, \$6	25
5½	"	"	8	"	"	-	"	6 90
6	"	"	8	"	"	-	"	7 60
6½	"	"	8	"	"	-	"	8 30
7	"	"	8	"	"	-	"	9 00



Taper Drag Saws.

Tapered Saws.

5 foot	Tapered	Saws,	7 in.	wide at	Butt,	5 in.	at Point,	each, \$5	50
5½	"	"	7	"	"	5	"	"	6 10
6	"	"	7	"	"	5	"	"	6 70
6½	"	"	7	"	"	5	"	"	7 30
7	"	"	7	"	"	5	"	"	8 00

In ordering, specify Mill Saw or Cross-Cut Tooth.

Warranted Extra Cast Steel Pit Saws.

Stamped Harvey W. Peace.

5 foot,	at \$1.30	per foot,	-	-	-	-	each, \$6	50
5½	"	1.30	"	-	-	-	"	7 15
6	"	1.30	"	-	-	-	"	7 80
6½	"	1.30	"	-	-	-	"	8 45
7	"	1.30	"	-	-	-	"	9 10
7½	"	1.30	"	-	-	-	"	9 75
8	"	1.30	"	-	-	-	"	10 40
8½	"	1.30	"	-	-	-	"	11 05

Fillers and Boxes for Handles, per Set, \$2.50.

Warranted Extra Cast Steel Feather Edge Cross-Cut Saws.

Stamped Harvey W. Peace.

4	foot	at 92 cts.	per foot,	-	-	-	-	each, \$3 68
4 $\frac{1}{2}$	"	92	"	-	-	-	-	" 4 14
5	"	92	"	-	-	-	-	" 4 60
5 $\frac{1}{2}$	"	92	"	-	-	-	-	" 5 06
6	"	92	"	-	-	-	-	" 5 52
6 $\frac{1}{2}$	"	92	"	-	-	-	-	" 5 98
7	"	92	"	-	-	-	-	" 6 44
7 $\frac{1}{2}$	"	92	"	-	-	-	-	" 6 90
8	"	92	"	-	-	-	-	" 7 36
8 $\frac{1}{2}$	"	92	"	-	-	-	-	" 7 82

These Saws are manufactured from the very best quality of Cast Steel, are ground thin to the back, and finished in a superior manner. Every Saw warranted perfect.

No. 1, Warranted Extra Cast Steel Cross-Cut and Tenon Saws.



Stamped Harvey W. Peace.

4	foot,	at 66 cts.	per foot,	-	-	-	-	each, \$2 64
4 $\frac{1}{2}$	"	66	"	-	-	-	-	" 2 97
5	"	66	"	-	-	-	-	" 3 30
5 $\frac{1}{2}$	"	66	"	-	-	-	-	" 3 63
6	"	66	"	-	-	-	-	" 3 96
6 $\frac{1}{2}$	"	66	"	-	-	-	-	" 4 29
7	"	66	"	-	-	-	-	" 4 62
7 $\frac{1}{2}$	"	66	"	-	-	-	-	" 4 95
8	"	66	"	-	-	-	-	" 5 28
8 $\frac{1}{2}$	"	66	"	-	-	-	-	" 5 61
9	"	66	"	-	-	-	-	" 5 94
9 $\frac{1}{2}$	"	66	"	-	-	-	-	" 6 27

Filed and set, unless otherwise ordered. Single Hook Tooth Cross-Cuts at same price as above.

No. 2, Cast Steel Cross-Cut Saws.

Stamped B. P. Baldwin.

4	foot, at 44 cts. per foot,	-	-	-	-	each, \$1 76
4½	" 44	"	-	-	-	" 1 98
5	" 44	"	-	-	-	" 2 20
5½	" 44	"	-	-	-	" 2 42
6	" 44	"	-	-	-	" 2 64
6½	" 44	"	-	-	-	" 2 86
7	" 44	"	-	-	-	" 3 08
7½	" 44	"	-	-	-	" 3 30
8	" 44	"	-	-	-	" 3 52
8½	" 44	"	-	-	-	" 3 74
9	" 44	"	-	-	-	" 3 96
9½	" 44	"	-	-	-	" 4 18

Single Hook Tooth Cross-Cuts same price as above.


Tuttle's Patent Hook Tooth Cross-Cut Saws.



Stamped Harvey W. Peace.

4	foot, at 78 cts. per foot,	-	-	-	-	each, \$3 12
4½	" 78	"	-	-	-	" 3 51
5	" 78	"	-	-	-	" 3 90
5½	" 78	"	-	-	-	" 4 29
6	" 78	"	-	-	-	" 4 68
6½	" 78	"	-	-	-	" 5 07
7	" 78	"	-	-	-	" 5 46
7½	" 78	"	-	-	-	" 5 85
8	" 78	"	-	-	-	" 6 24
8½	" 78	"	-	-	-	" 6 63
9	" 78	"	-	-	-	" 7 02


Hand, Panel and Ripping Saws.



No. 3—H. L. Warren.

Cast Steel, Beech Handle, Polished Edges, four Brass Screws, one embossed.


26 Inch,	-	-	-	-	-	per dozen, \$11 75
28 “	-	-	-	-	-	“ 14 00



No. 5—H. O. Jennings.

Cast Steel, Beech Handle, Polished Edges, four Raised Iron Screws.

26 Inch,	-	-	-	-	-	per dozen, \$12 00
28 “	-	-	-	-	-	“ 14 25




No. 10—H. O. Jennings.

Cast Steel, Beech Handle, Polished Edges, four Brass Screws.

26 Inch,	-	-	-	-	-	per dozen, \$12 60
28 “	-	-	-	-	-	“ 14 80


Hand, Panel and Ripping Saws—Continued.



No. 40—Harvey W. Peace.

Spring Steel, warranted ; Beech Handle, Polished Edges, four Brass Screws, one Embossed. Great attention is paid to the grinding, tempering, and finishing of this Saw, which is fully equal to Spear & Jackson's, and may be regarded as a standard.


Inch,	14	16	18	20	22	24	26	28	30
Per doz.	\$13.40	14.90	16.45	17.90	19.40	21.70	23.60	25.70	27.75



No. 45—Harvey W. Peace.

Spring Steel, warranted ; Apple Handle, Polished Edges, four Brass Screws, one embossed. This is in every respect a first class Saw, and warranted equal to any in the market.

Inch,	14	16	18	20	22	24	26	28	30
Per doz.	\$14.25	15.70	17.25	18.70	20.20	22.50	24.40	26.50	28.60



No. 50—Harvey W. Peace.

This Saw is of double refined Spring Steel, warranted; Polished Rosewood Handle, five Steel raised Rivets. No Saw superior to this in the market.

Inch,	26	28	30
Per dozen,	\$28.00	30.00	32.00

Compass or Lock Saws.



No. 40—Harvey W. Peace.

Inch,	8	10	12	14	16	18
Per dozen,	\$3.45	4.00	4.60	4.90	5.15	5.75



No. 50—Harvey W. Peace.

Inch,	8	10	12	14	16	18
Per dozen,	\$3.90	4.75	5.20	5.70	6.00	6.75

Kitchen Saws.



Per dozen,	-	-	-	-	-	\$6 50
------------	---	---	---	---	---	--------

Butcher's Bow Saws.




No. 10.—H. O. Jennings.

Flat Back, Beech Handle, three Oval Head Iron Screws.

Inch,	12	14	16	18	20	22	24
Per doz.,	\$12.00	12.60	13.20	14.00	15.60	16.80	17.60


Butcher's Bow Saws—Continued.



No. 30—J. D. Darlington.

Flat Back, Beech Handle, Polished Edges, three Brass Screws, one embossed.

Inch,	12	14	16	18	20	22	24
Per dozen,	\$13.45	14.20	14.90	15.65	17.20	17.80	20.40



No. 40—Harvey W. Peace.

Best Oval Back, Beech Handle, Polished Edges, three Brass Screws, one embossed.

Inch,	14	16	18	20	22	24	26
Per dozen,	\$18.70	19.40	20.30	21.70	22.50	23.50	24.40



No. 50—Harvey W. Peace.

Best Flat Beech Handle, Polished Edges, four brass screws, one embossed.

Inch,	14	16	18	20	22	24	26
Per dozen,	\$23.20	24.65	25.40	26.10	26.85	27.60	28.30

Back Saws.



No. 30—J. D. Darlington.

Cast Steel, warranted; Blue Back, Beech Handle, Polished Edges, three Brass Rivets.

Inch,	8	10	12	14	16	18
Per dozen,	\$10.50	11.60	13.50	15.30	18.10	19.10



No. 40—Harvey W. Peace.

Spring Steel, warranted; Blue Back, Beech Handle, Polished Edges, three Brass Rivets, one embossed.

Inch,	6	8	10	12	14	16	18
Per dozen,	\$11.60	13.45	14.20	17.20	20.20	23.10	24.70




No. 50—Harvey W. Peace.

Double refined Spring Steel, warranted; Brass Back, Apple Handle, Polished Edges, three Brass Rivets, one embossed.

Inch,	6	8	10	12	14	16	18
Per dozen,	\$13.50	17.20	18.70	21.60	23.90	28.40	29.90

Pruning Saws.



No. 40—Harvey W. Peace.

This Saw is Spring Steel, Warranted; Beech Handle, Polished Edges, two Brass Screws.

Inch,	16	18	20	22
Per dozen,	\$10.40	11.30	12.30	13.60

Warranted Ex. C. S. Key Hole or Fret Saw Blades.

Assorted, 6 to 12 inches, set and sharpened,	-	per dozen,	\$2 25
“ 6 to 12 “ plain,	- - -	“	1 80

Butcher Bow Webs—Warranted Extra.

Stamped Harvey W. Peace.

Inch,	14	16	18	20	22	24
Wide, per dozen,	\$5.80	6.65	7.20	8.00	8.80	9.60
Narrow, “	5.40	6.00	6.55	7.20	8.00	8.80

Warranted Extra Cast Steel Iron Webs or Hack Saw Blades.

Inch,	6	8	10	12	14	16
Per dozen,	\$1.80	2.45	3.00	3.65	4.25	4.85

Warranted Ex. Cast Steel Turning or Chair Webs.

Stamped Harvey W. Peace.



Beveled Backs.

To	$\frac{1}{2}$ inch wide, all lengths, set and sharpened,	$1\frac{1}{2}$ cts. per inch.
To	$\frac{1}{2}$ “ “ “ plain, - -	$1\frac{1}{4}$ “ “
Above	$\frac{1}{2}$ “ to 1 in. wide, “ set and sharpened,	$1\frac{3}{4}$ “ “
Above	$\frac{1}{2}$ “ to 1 “ “ plain, - -	$1\frac{1}{2}$ “ “

Warranted Extra Cast Steel Felloe Webs.




Beveled Backs.

To $\frac{1}{2}$ in. wide,	-	all lengths, set and sharpened,	$1\frac{3}{4}$ cts. per in.
To $\frac{1}{2}$ " "	-	plain,	$1\frac{1}{2}$ " "
Above $\frac{1}{2}$ in. to 1 in. wide	"	set and sharpened,	2 " "
Above $\frac{1}{2}$ " 1 " "	"	plain,	$1\frac{3}{4}$ " "

The above are made from 17 Gauge Steel. Extra thickness and widths, extra prices.

Billet Webs.



Boston Tooth.



Common Tooth.

No. 10—H. O. Jennings.

30 Inch, Cast Steel, set and sharpened,	-	-	per dozen, \$4 50
32 " " " "	-	-	4 75
30 " " plain,	-	-	4 05
32 " " " "	-	-	4 30

No. 20—B. P. Baldwin.

30 Inch, Cast Steel, set and sharpened,	-	-	per dozen, \$5 25
32 " " " "	-	-	5 50
30 " " plain,	-	-	4 75
32 " " " "	-	-	5 00

No. 30—J. D. Darlington.

Cast Steel, warranted. A well finished, reliable article.

30 Inch, Cast Steel, set and sharpened,	-	-	per dozen, \$6 00
32 " " " "	-	-	6 30
30 " " plain,	-	-	5 20
32 " " " "	-	-	5 50

Billet Webs—Continued.

No. 40—Harvey W. Peace.

Spring Steel, warranted. Made of the best material and carefully finished, and especially adapted to the use of wood sawyers.


30 Inch, Spring Steel, set and sharpened,	-	per dozen,	\$7 50
32 " " " " " " " "	-	"	7 95
30 " " " plain,	-	"	6 70
32 " " " " " " " "	-	"	7 15

No. 50—Harvey W. Peace.

Double refined Spring Steel, warranted; extra finished, selected blades. Without exception the best Billet Web offered to the trade.

30 Inch, Spring Steel, set and sharpened,	-	per dozen,	\$8 65
32 " " " " " " " "	-	"	9 10
30 " " " plain,	-	"	7 75
32 " " " " " " " "	-	"	8 20

Framed Billet or Wood Saws.



No. 5, 30 Inches long, with frame, complete,	-	per dozen,	\$6 20
No. 10, 30 " " " " " " " "	"	"	6 80
No. 20, 30 " " " " " " " "	"	"	7 85
No. 30, 30 " " " " " " " "	"	"	8 80
No. 40, 30 " " " " " " " "	"	"	10 10
No. 50, 30 " " " " " " " "	"	"	11 00

No. 5, has straight rods only, all other numbers have twisted rods, and can be furnished with straight rods if so ordered.

Harvey W. Peace's

Cast Steel Plastering Trowels.

Inch,	10	10½	11	11½	12
Per dozen,	\$15.40	16.45	17.25	18.90	20.50

Mason's Cast Steel Mitring Rods.

6 in. - -	\$4 25 per doz.	14 in. - -	\$10 00 per doz.
8 " - -	5 70 "	16 " - -	11 40 "
10 " - -	7 15 "	18 " - -	12 80 "
12 " - -	7 50 "	20 " - -	14 30 "

Repairing.

Mill Saws.

Re-toothng, - - - - -	12 cts. per foot.
Straightening, - - - - -	12 " "
Setting and sharpening, - - - - -	25 " "

Pit and Cross-Cut Saws.

Re-toothng, - - - - -	16 cts. per foot.
Straightening, - - - - -	16 " "
Setting and sharpening, - - - - -	16 " "

Setting and Sharpening Circular Saws.

To 20 in., 5 cts. per in. diameter.	To 50 in., 8 cts. per in. diameter.
" 30 " 6 " " "	" 60 " 9 " " "
" 40 " 7 " " "	" 72 " 10 " " "

Gumming and Hammering Circular Saws.

To 18 in., 5 cts. per in. diameter.	To 48 in., 20 cts. per in. diameter.
" 26 " 6 " " "	" 60 " 25 " " "
" 32 " 8 " " "	" 64 " 28 " " "
" 36 " 10 " " "	" 68 " 30 " " "
" 42 " 15 " " "	" 72 " 35 " " "

**CIRCULAR SAWS FOR IVORY AND METAL MADE
TO ORDER.**